



Vinyl Matting

Diamond, Easy Sweep, Pyramid, Eldorado, and Corrugated Finish



Improve employee
comfort & safety with
Tuff Trac® Vinyl Matting



Durable Vinyl Matting for Slip Protection and Comfort

RM Biltrite® Tuff Trac® Vinyl Matting is manufactured from a proprietary blend of new and recycled materials. This blend is engineered to provide outstanding performance and superior durability during use.

Vinyl Matting creates a comfortable and safe environment for employees in workplaces where slip and wear protection is important, such as manufacturing, healthcare, and warehousing industries. Also good for use in public areas with normal and heavy foot traffic. Available in five different finishes:

Diamond Finish: Commercial grade vinyl runner with a deeply embossed, steel-deck diamond surface finish. Textured cloth impression back finish. Available with optional yellow safety edge.

Easy Sweep Finish: Round-ribbed, high-traction corrugated surface finish running lengthwise to mat. Textured cloth impression back finish.

Pyramid Finish: Textured, non-directional, pyramid-shaped surface finish offering excellent anti-slip traction in dry or wet conditions. Textured cloth impression back finish.

Eldorado Finish: Unique, proprietary surface finish designed for light-duty anti-slip applications. Smooth back finish.

Corrugated Finish: Durable runner with an angular, pointed, high-traction corrugated surface finish running lengthwise to mat. Textured cloth impression back finish.

VINYL MATTING SPECIFICATIONS

Durometer (Shore A): ASTM D2240	80 ± 5
Tensile Strength: ASTM D412	600 psi (4.1 MPa)
Elongation: ASTM D412	150%
Tear Resistance (Die C): ASTM D412	100 lbf/in (17.5 kN/m)
Back Finish:	Textured Cloth Impression (*Eldorado: Smooth)
Color:	Black

Item ID #s:



Diamond: 5/32" (4.0 mm) Thickness

- 24" x 75' (60.9 cm x 22.9 m) roll: #67650010 + Yellow Safety Edge: #67650049
- 30" x 75' (76.2 cm x 22.9 m) roll: #67650075 + Yellow Safety Edge: #67650076
- 36" x 75' (91.4 cm x 22.9 m) roll: #67650001 + Yellow Safety Edge: #67650051
- 48" x 75' (121.9 cm x 22.9 m) roll: #67650041 + Yellow Safety Edge: #67650073
- 60" x 75' (152.4 cm x 22.9 m) roll: #67650071 + Yellow Safety Edge: #67650074

Easy Sweep: 1/8" (3.2 mm) Thickness

- 24" x 105' (60.9 cm x 32 m) roll: #67214101
- 30" x 105' (76.2 cm x 32 m) roll: #67214119
- 36" x 105' (91.4 cm x 32 m) roll: #67214106
- 48" x 105' (121.9 cm x 32 m) roll: #67214111
- 60" x 105' (152.4 cm x 32 m) roll: #67666001

Pyramid: 1/8" (3.2 mm) Thickness

- 24" x 105' (60.9 cm x 32 m) roll: #67655653
- 30" x 105' (76.2 cm x 32 m) roll: #67655625
- 36" x 105' (91.4 cm x 32 m) roll: #67655601
- 48" x 105' (121.9 cm x 32 m) roll: #67655622
- 60" x 105' (152.4 cm x 32 m) roll: #67655658

Eldorado: .075" (1.9 mm) Thickness

- 30" x 105' (76.2 cm x 32 m) roll: #67660110
- 36" x 105' (91.4 cm x 32 m) roll: #67660108
- 48" x 105' (121.9 cm x 32 m) roll: #67660109
- 60" x 105' (152.4 cm x 32 m) roll: #67660111

Corrugated: 1/8" (3.2 mm) Thickness

- 24" x 105' (60.9 cm x 32 m) roll: #67210801
- 30" x 105' (76.2 cm x 32 m) roll: #67210809
- 36" x 105' (91.4 cm x 32 m) roll: #67210806
- 48" x 105' (121.9 cm x 32 m) roll: #67210811

Custom sizes available upon request.

Distributed by:

Made in the USA by RM Biltrite® LLC, a leading US manufacturer of engineered thermoplastic products including: building materials; specialty flooring and matting; noise attenuation; gasketing; and other products with complex technical requirements.

For samples and more product information, please contact your local distributor or an RM Biltrite® representative at 800.877.8775.



© RM Biltrite, LLC 2020

The following are trademarks of RM Biltrite, LLC: RMBiltrite®, Biltrite®, Tuff Trac®

The following are trademarks of QRR, Inc: RubberMax®


There may be other trademarks of RM Biltrite or other companies noted in this document.

Revised November 17, 2020

P: (800) 877-8775 | F: (888) 894-0204
sales@rmbiltrite.com | www.rmbiltrite.com
8395 Dunwoody Pl | Sandy Springs, GA 30350

Vinyl Matting

Diamond, Easy Sweep, Pyramid, Eldorado, and Corrugated Finish



Durable Vinyl Matting for Slip Protection and Comfort

RM Biltrite® Tuff Trac® Vinyl Matting is manufactured from a proprietary blend of new and recycled materials. This blend is engineered to provide outstanding performance and superior durability during use.

Vinyl Matting creates a comfortable and safe environment for employees in workplaces where slip and wear protection is important, such as manufacturing, healthcare, and warehousing industries. Also good for use in public areas with normal and heavy foot traffic. Available in five different finishes:

Diamond Finish: Commercial grade vinyl runner with a deeply embossed, steel-deck diamond surface finish. Textured cloth impression back finish. Available with optional yellow safety edge.

Easy Sweep Finish: Round-ribbed, high-traction corrugated surface finish running lengthwise to mat. Textured cloth impression back finish.

Pyramid Finish: Textured, non-directional, pyramid-shaped surface finish offering excellent anti-slip traction in dry or wet conditions. Textured cloth impression back finish.

Eldorado Finish: Unique, proprietary surface finish designed for light-duty anti-slip applications. Smooth back finish.

Corrugated Finish: Durable runner with an angular, pointed, high-traction corrugated surface finish running lengthwise to mat. Textured cloth impression back finish.

VINYL MATTING SPECIFICATIONS	DIAMOND	EASY SWEEP	PYRAMID	ELDORADO	CORRUGATED
Thickness: ASTM D412	5/32" (4.0 mm)	1/8" (3.2 mm)	1/8" (3.2 mm)	.075" (1.9 mm)	1/8" (3.2 mm)
Durometer (Shore A): ASTM D2240	80 ± 5	80 ± 5	80 ± 5	80 ± 5	80 ± 5
Tensile Strength: ASTM D412	600 psi (4.1 MPa)	600 psi (4.1 MPa)	600 psi (4.1 MPa)	600 psi (4.1 MPa)	600 psi (4.1 MPa)
Elongation: ASTM D412	150%	150%	150%	150%	150%
Tear Resistance (Die C): ASTM D412	100 lbf/in (17.5 kN/m)	100 lbf/in (17.5 kN/m)	100 lbf/in (17.5 kN/m)	100 lbf/in (17.5 kN/m)	100 lbf/in (17.5 kN/m)
Surface Finish:	Diamond	Easy Sweep	Pyramid	Eldorado	Corrugated
Back Finish:	Textured Cloth Impression	Textured Cloth Impression	Textured Cloth Impression	Smooth	Textured Cloth Impression
Color:	Black (Optional yellow safety edge available)	Black	Black	Black	Black
Roll Length:	75' (22.9 m)	105' (32 m)	105' (32 m)	105' (32 m)	105' (32 m)
Item ID #s:	24" (60.9 cm) wide: #67650010 + Yellow Safety Edge: #67650049	24" (60.9 cm) wide: #67214101 30" (76.2 cm) wide: #67214119 36" (91.4 cm) wide: #67214106	24" (60.9 cm) wide: #67655553 30" (76.2 cm) wide: #676555625 36" (91.4 cm) wide: #676555601	30" (76.2 cm) wide: #67660110 36" (91.4 cm) wide: #67660108 48" (121.9 cm) wide: #67660109 60" (152.4 cm) wide: #67660111	24" (60.9 cm) wide: #67210801 30" (76.2 cm) wide: #67210809 36" (91.4 cm) wide: #67210806 48" (121.9 cm) wide: #67210811
Custom sizes available upon request.	30" (76.2 cm) wide: #67650075 + Yellow Safety Edge: #67650076 36" (91.4 cm) wide: #67650001 + Yellow Safety Edge: #67650051 48" (121.9 cm) wide: #67650041 + Yellow Safety Edge: #67650073 60" (152.4 cm) wide: #67650071 + Yellow Safety Edge: #67650074	48" (121.9 cm) wide: #67214111 60" (152.4 cm) wide: #6766001	48" (121.9 cm) wide: #676555622 60" (152.4 cm) wide: #676555658		

Distributed by:



© RM Biltrite, LLC 2020
The following are trademarks of RM Biltrite, LLC: RM Biltrite®, Biltrite®, Tuft Trac®
The following are trademarks of QRR, Inc: RubberMax®
There may be other trademarks of RM Biltrite or other companies noted in this document.
Revised November 17, 2020

Made in the USA by RM Biltrite® LLC, a leading US manufacturer of engineered thermoplastic products including: building materials; specialty flooring and matting; noise attenuation; gasketing; and other products with complex technical requirements.
For samples and more product information, please contact your local distributor or an RM Biltrite® representative at 800.877.8775.

P: (800) 877-8775 | F: (888) 894-0204
sales@rmbiltrite.com | www.rmbiltrite.com
8395 Dunwoody Pl | Sandy Springs, GA 30350